



The Douglas Corporation Electric Light and Power Act, 1921.

His Excellency the Lieutenant Governor has made an Order, dated the 18th April, 1933, a copy of which is appended, consenting to the Mayor, Aldermen and Burgesses of the Borough of Douglas altering the system and pressure of the supply given by them to consumers for the purposes of the Douglas Corporation Electric Light and Power Act, 1921, and the Regulations made thereunder, in the streets set forth in the Schedule to the Order, from direct to alternating current 50 periods per second at 230 and 460 volts, subject to the conditions contained in the Order.

By Order,

B. E. SARGEAUNT,

Government Secretary.

Government Office,
ISLE OF MAN,
18th April, 1933.

Isle of Man
to Wit.

By His Excellency Sir Claude Hamilton Archer Hill, K.C.S.I., C.I.E.,
Lieutenant Governor of the said Isle, &c., &c., &c.

I, the said Lieutenant Governor, in accordance with the powers vested in me in that behalf by the Douglas Corporation Electric Light and Power Act, 1921, and the Regulations made thereunder, for securing the safety of the public and for ensuring a proper and sufficient supply of electrical energy, hereby consent to the Mayor, Aldermen and Burgesses of the Borough of Douglas (hereinafter referred to as "the Undertakers"), altering the system and pressure of the supply given by them to consumers for the purposes of the said Act and Regulations in the streets set forth in the Schedule to this Order, from direct to alternating current, 50 periods per second at 230 and 460 volts, subject to the following conditions, viz :—

Unless otherwise agreed, the Undertakers shall at their own expense carry out the necessary alterations to consumers' existing apparatus to suit the altered system and pressure of the supply, or pay to each consumer injuriously affected by the alteration of system and pressure such sum as may be agreed upon, or, in default of agreement, as may be determined by an Arbitrator to be appointed on the application of either party by the Governor, in the same manner as is provided by Section 67 of the aforesaid Act as the reasonable cost of and incidental to the change of system and pressure, (including compensation for any loss or damage incurred in consequence of the alteration).

Provided that in any case where notice of their intention to carry out the aforesaid necessary alterations is served by the Undertakers on a consumer not less than one month and not more than six months prior to the date fixed by the Undertakers for carrying out the said alterations, no liability shall attach to the Undertakers in respect of apparatus installed by the consumer after the service of such notice unless otherwise agreed between the Undertakers and the consumer, and a condition to this effect shall be clearly stated in any such notice as aforesaid.

GIVEN under my hand this 18th day of April, 1933.

CLAUDE H. HILL,

Lieutenant Governor.

SCHEDULE.

Fort Street	Castle Street	Market Lane
South Quay	Granville Street	Bath Place
Lake Road	Church Road	Peveril Buildings
North Quay	Frederick Street	Loch Promenade
Quine's Corner	Senna Road	Strand Street
Duke Street	Douglas Head Road	Howard Street
Lord Street	Castletown Road	Well Road Hill
Muckles Gate	Bridge Road	Back Sefton Road
Parade Street	Queen Street	St. Thomas' Walk
Walpole Avenue	Market Hill	Ridgeway Street—
Arcade Buildings	King Street	east side
Regent Street	James Street	

Back Strand Street—Well Road Hill to Greeba Works.

Finch Road—Church Road to No. 78 Finch Road.

Victoria Street—south side.

Victoria Street—north side from Villiers Hotel to No. 36.

Thomas Street—between King Street and Victoria Street.